=> IFW: Scan as Doc Code: SRNT <= Doc Date:

TC 3700 Inventor Search Program

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

Serial Number:

1.) See <u>attached</u> printout of inventors listed in PALM

2.) See <u>attached</u> EAST Inventor Search Printout shows Inventor search terms

PALM INTRANET

Day: Thursday

Date: 5/4/2006 Time: 16:03:12

Inventor Information for 10/602619

| Inventor Name | City | State/Country |
|-----------------------------------|-----------------|------------------------------|
| OKADA, KAZUO | ТОКҮО | JAPAN |
| Appln Info Contents Petition Info | Atty/Agent Info | Continuity Data Foreign Data |
| Search Another: Application# | Search or | Patent# Search |
| PCT/ | Search or PG | PUBS # Search |
| Attorney Docket # | | Search |
| Bar Code # | Search | |

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

| US 20060089192 A1 | US- PGPUB | 20060427 | 30 | Gaming machine | 463/20 | | Okada; Kazuo |
|-------------------------|--------------|----------|----|--|----------|---------|----------------------------|
| US 20060079315 A1 | US- PGPUB | 20060413 | | Gaming machine and gaming system | 463/25 | 463/29 | Okada; Kazuo |
| US 20060068915 A1 | US- PGPUB | 20060330 | | Gaming server and gaming system | 463/42 | | Okada; Kazuo |
| US 20060068902 A1 | US- PGPUB | 20060330 | 37 | Gaming machine | 463/25 | | Okada; Kazuo et al. |
| US 20060068901 A1 | US- PGPUB | 20060330 | | Gaming machine | 463/25 | | Okada; Kazuo et al. |
| US 20060068891 A1 | US- PGPUB | 20060330 | | Gaming machine | 463/20 | | Okada; Kazuo |
| US 20060068890 A1 | US- PGPUB | 20060330 | | Game system | 463/20 | | Okada; Kazuo |
| US 20060068889 A1 | US- PGPUB | 20060330 | | Gaming machine | 463/20 | | Okada; Kazuo et al. |
| US 20060068888 A1 | US- PGPUB | 20060330 | | Gaming machine and game system | 463/20 | | Okada; Kazuo et al. |
| US 20060068572 A1 | US- PGPUB | 20060330 | | Semiconductor device manufacturing method | 438/577 | 257/577 | Noma; Takashi et al. |
| US 20060066046 A1 | US- PGPUB | 20060330 | | Apparatus and system for supplying game articles | 273/144R | | Okada; Kazuo et al. |
| US 20060030390 A1 | US- PGPUB | 20060209 | | Gaming machine | 463/16 | | Okada; Kazuo |
| US 20060030389 A1 | US- PGPUB | 20060209 | | Gaming machine | 463/16 | | Okada; Kazuo |
| US 20060025204 A1 | US- PGPUB | 20060202 | | Gaming machine | 463/20 | | Okada; Kazuo |
| US 20060009276 A1 | US- PGPUB | 20060112 | | Game server, game control method, and game machine | 463/20 | | Okada; Kazuo |
| US | US- | 20051229 | | Typing practice | 341/22 | | Okada, |

| 20050285760 A1 | PGPUB | | apparatus, typing practice method, and typing practice program | | | Kazuo et al. |
|-------------------------|--------------|----------|--|---------|---|--------------------------------|
| US 20050224314 A1 | US- PGPUB | 20051013 | Coin feeding machine and gaming machine | 194/230 | | Okada, Kazuo et al. |
| US 20050192094 A1 | US- PGPUB | 20050901 | Gaming machine | 463/34 | | Okada, Kazuo et al. |
| US 20050176497 A1 | US- PGPUB | 20050811 | Game-medium renting machine | 463/25 | | Okada, Kazuo |
| US 20050170884 A1 | US- PGPUB | 20050804 | Gaming machine, gaming server and gaming system | 463/25 | | Okada, Kazuo |
| US 20050164780 A1 | US- PGPUB | 20050728 | Award money payment system, award ticket issuing device and award ticket accounting device | 463/25 | | Okada, Kazuo et al. |
| US 20050159213 A1 | US- PGPUB | 20050721 | Award money payment system, award ticket issuing device and award ticket accounting device | 463/25 | | Okada, Kazuo et al. |
| US 20050153774 A1 | US- PGPUB | 20050714 | Gaming machine and gaming system | 463/25 | | Okada, Kazuo |
| US 20050148366 A1 | US- PGPUB | 20050707 | Cellular phone and cellular phone control method | 455/558 | 455/557 | Okada, Kazuo |
| US 20050136629 A1 | US- PGPUB | 20050623 | Manufacturing method of semiconductor device | 438/581 | | Iizuka, Katsuhiko et al. |
| US 20050136603 A1 | US- PGPUB | 20050623 | Manufacturing method of semiconductor device | 438/299 | 257/E21.415; 257/E21.438; 257/E29.147 | Iizuka, Katsuhiko et al. |
| US 20050054444 A1 | US- PGPUB | 20050310 | Game server and program | 463/42 | | Okada, Kazuo |
| US 20050033649 A1 | US- PGPUB | 20050210 | Premium drawing system | 705/26 | | Okada, Kazuo |

| US 20040251625 A1 | US- PGPUB | 20041216 | Gaming machine with reels capable of precisely controlling stop position of each reel | 273/143R | | Okada, Kazuo |
|-------------------------|--------------|----------|---|-----------|-----------------------|---------------------------|
| US 20040242323 A1 | US- PGPUB | 20041202 | Gaming machine | 463/31 | | Okada, Kazuo |
| US 20040227866 A1 | US- PGPUB | 20041118 | Gaming machine | 349/58 | | Okada, Kazuo |
| US 20040224758 A1 | US- PGPUB | 20041111 | Gaming machine | 463/31 | | Okada, Kazuo et al. |
| US 20040224747 A1 | US- PGPUB | 20041111 | Gaming machine | 463/16 | | Okada, Kazuo |
| US 20040219965 A1 | US- PGPUB | 20041104 | Gaming machine | 463/16 | 463/20 | Okada, Kazuo |
| US 20040214635 A1 | US- PGPUB | 20041028 | Gaming machine | 463/30 | | Okada, Kazuo |
| US 20040209683 A1 | US- PGPUB | 20041021 | Gaming machine | 463/31 | 463/20 | Okada, Kazuo |
| US 20040209682 A1 | US- PGPUB | 20041021 | Gaming machine | 463/31 | 463/20 | Okada, Kazuo |
| US 20040209678 A1 | US- PGPUB | 20041021 | Gaming machine | 463/30 | | Okada, Kazuo |
| US 20040209672 A1 | US- PGPUB | 20041021 | Gaming machine | 463/20 | | Okada, Kazuo |
| US 20040209671 A1 | US- PGPUB | 20041021 | Gaming machine | 463/20 | | Okada, Kazuo |
| US 20040209668 A1 | US- PGPUB | 20041021 | Gaming machine | 463/20 | | Okada, Kazuo |
| US 20040207154 A1 | US- PGPUB | 20041021 | Gaming machine | 273/138.1 | 273/142R; 273/143R | Okada, Kazuo |
| US 20040171418 | US- PGPUB | 20040902 | Gaming machine | 463/20 | | Okada, Kazuo |

| | | | | | — | |
|-------------------------------|--------------|----------|--|----------|--------|-------------|
| Al | | | | | | |
| US | US- | 20040826 | Gaming machine | 463/20 | 463/46 | Okada, |
| 20040166927 | PGPUB | | | | | Kazuo |
| A1 | | | | <u> </u> | | |
| US | US- | 20040805 | Gaming machine | 463/16 | | Okada, |
| 20040152506 | PGPUB | | | | | Kazuo et |
| A1 | | | | | | al. |
| US | US- | 20040805 | Gaming machine | 463/16 | | Okada, |
| 20040152502 | PGPUB | 200.000 | | 103/10 | | Kazuo |
| A1 | 1 01 02 | | | | | Ruzuo |
| US | US- | 20040805 | Gaming machine and | 463/16 | 463/31 | Okada, |
| 20040152501 | PGPUB | 20040803 | | 403/10 | 403/31 | Kazuo |
| | FOFUB | | display device | | | Kazuo |
| A1 | TIO | 20040005 | therefor | 272/202 | 462/20 | 01 1 |
| US | US- | 20040805 | Gaming machine | 273/292 | 463/20 | Okada, |
| 20040150162 | PGPUB | | | | | Kazuo |
| A1 | | | | | | |
| US | US- | 20040729 | Gaming machine, | 463/42 | | Okada, |
| 20040147322 | PGPUB | | server, and program | | | Kazuo |
| A1 | | | | | | |
| US | US- | 20040617 | Gaming machine | 463/20 | | Okada, |
| 20040116178 | PGPUB | | _ | | | Kazuo |
| Al | | | | | | |
| US | US- | 20040429 | Gaming machine | 463/16 | | Okada, |
| 20040082375 | PGPUB | | | | | Kazuo |
| A1 | | | | | | |
| US | US- | 20040401 | Gaming machine | 463/20 | | Okada, |
| 20040063490 | PGPUB | | J | 103/20 | | Kazuo |
| A1 | 10105 | | | | | Ruzuo |
| US | US- | 20040122 | Gaming apparatus | 463/20 | | Okada, |
| 20040014520 | PGPUB | 20040122 | Gaining apparatus | 403/20 | | Kazuo |
| A1 | 10100 | | | | | Kazuo |
| US | US- | 20031225 | Coming annuates | 462/20 | | 011- |
| 20030236118 | | 20031223 | Gaming apparatus | 463/20 | | Okada, |
| | PGPUB | | . 45 | | | Kazuo |
| A1 | LIO | 20021225 | | 462/16 | | 01 1 |
| US | US- | 20031225 | Gaming apparatus | 463/16 | | Okada, |
| 20030236117 | PGPUB | | | | | Kazuo |
| A1 | | | | | | |
| US | US- | 20031225 | Gaming apparatus | 273/236 | | Okada, |
| 20030234489 | PGPUB | | | | | Kazuo |
| A1 | | | | | | |
| US | US- | 20030828 | Parallel linkage and | 623/24 | 623/27 | Yasui, |
| 20030163206 | PGPUB | | artificial joint device | | | Yuji et al. |
| A1 | | | | | | |
| US | US- | 20030424 | | 463/25 | | Okada. |
| 20030078095 | PGPUB | | machine under | | | |
| | | | | | | |
| US 20030163206 A1 US | PGPUB US- | | artificial joint device using the same Game server, game | | 623/27 | · · |

| | | | and game control method | | | |
|-------------------------|--------------|----------|---|---------|--|--------------------------------|
| US 20030073487 A1 | US- PGPUB | 20030417 | Game machine, game server, and game control method | 463/25 | | Okada, Kazuo |
| US 20030073486 A1 | US- PGPUB | 20030417 | Game server, game control method, and game machine | 463/25 | | Okada, Kazuo |
| US 20030072136 A1 | US- PGPUB | 20030417 | Circuit board and production method therefor | 361/723 | 257/E23.066; 257/E23.177; 361/709; 361/720 | Suzumura, Masaki et al. |
| US 20030069073 A1 | US- PGPUB | 20030410 | Game server, game control method, and game machine | 463/42 | | Okada, Kazuo |
| US 20030069067 A1 | US- PGPUB | 20030410 | Game server, game machine, game control server, and game control method | 463/20 | | Okada, Kazuo |
| US 20030064810 A1 | US- PGPUB | 20030403 | Game server, game machine, and game control method | 463/42 | | Okada, Kazuo |
| US 20030064809 A1 | US- PGPUB | 20030403 | Game server, game machine, and game control method | 463/42 | | Okada, Kazuo |
| US 20020155891 A1 | US- PGPUB | 20021024 | Advertisement distribution system and server | 463/42 | | Okada, Kazuo et al. |
| US 7022575 B2 | USPAT | 20060404 | Manufacturing method of semiconductor device | 438/303 | 438/275; 438/581 | Iizuka; Katsuhiko et al. |
| US 6987062 B2 | USPAT | 20060117 | Manufacturing method of semiconductor device | 438/682 | 257/E21.415; 257/E21.438; 257/E29.147; 438/303; 438/529; | Iizuka; Katsuhiko et al. |
| | | | | | 438/592; 438/595; 438/683; 438/745; 438/756 | |
| US 6937298 B2 | USPAT | 20050830 | Gaming machine having a protective member covering drive unit and at least a portion of the light | 349/58 | 349/65; 463/46 | Okada; Kazuo |

| 110 (701024 | TIODATE | 20040014 | emission means | 154/050 | 154054 | |
|------------------|---------|----------|---|---------|---|---------------------------------|
| US 6791034 B2 | USPAT | 20040914 | Circuit board and production method therefor | 174/252 | 174/254; 257/675; 257/E23.066; 257/E23.177; 361/688; 361/813 | Suzumura; Masaki et al. |
| US 6790142 B2 | USPAT | 20040914 | Advertisement distribution system and server | 463/42 | 463/16; 463/20; 463/40 | Okada; Kazuo et al. |
| US 6695697 B1 | USPAT | 20040224 | Game device and medium memorizing a game program and readable by a computer for support players' technical intervention without changing fundemental specification of the game device | 463/20 | 273/143R | Okada; Kazuo |
| US 6691439 B1 | USPAT | 20040217 | Full-shrink labeled container and tubular shrink label | 40/310 | | Miyashita; Takashi et al. |
| US 6626761 B1 | USPAT | 20030930 | Game machine that provides support to players based on game history | 463/43 | 463/16 | Okada; Kazuo |
| US 6620044 B1 | USPAT | 20030916 | Gaming machine | 463/20 | 273/143R | Okada; Kazuo |
| US 6443710 B1 | USPAT | 20020903 | Magnetic pump | 417/365 | 417/420 | Tatsukami; Kiyoshi et al. |
| US 6437424 B1 | USPAT | 20020820 | Non-volatile semiconductor memory device with barrier and insulating films | 257/639 | 257/315; 257/382; 257/E21.682; 257/E27.103; 257/E29.129 | Noma; Takashi et al. |
| US 6397695 B1 | USPAT | 20020604 | Control apparatus for hydraulically-operated vehicular transmission | 74/335 | 477/150; 477/155 | Okada; Kazuo et al. |
| US 6287194 B1 | USPAT | 20010911 | Gaming machine | 463/16 | 273/139; 463/20 | Okada; Kazuo et al. |
| US 6216764 B1 | USPAT | 20010417 | Method and apparatus for making lead-acid | 164/108 | 164/109; 164/126; | Goshima; Teruo et |

÷

| | | | batteries | | 164/128; 29/623.1 | al. |
|-----------------|-------|----------|--|---------|---|--------------------------------|
| US 6068575 A | USPAT | 20000530 | Control apparatus for hydraulically operated vehicular transmission | 477/144 | 477/139; 477/141 | Tanizawa; Shoichi et al. |
| US 6007458 A | USPAT | 19991228 | Control apparatus for hydraulically operated vehicular transmission | 477/154 | 477/143; 477/155 | Ohashi; Tatsuyuki et al. |
| US 5997436 A | USPAT | 19991207 | Control apparatus for vehicular automatic transmission | 477/154 | 477/117; 477/155 | Shibuya; Kouji et al. |
| US 5957810 A | USPAT | 19990928 | Control apparatus for hydraulically operated vehicular transmission | 477/154 | 477/906; 701/62 | Ohashi; Tatsuyuki et al. |
| US 5956999 A | USPAT | 19990928 | Control apparatus for hydraulically operated vehicular transmission | 74/336R | | Okada; Kazuo et al. |
| US 5947864 A | USPAT | 19990907 | Control apparatus for hydraulically operated vehicular transmission | 477/154 | 477/55; 74/336R | Ohashi; Tatsuyuki et al. |
| US 5887110 A | USPAT | 19990323 | Video data playback system using effective scheme for producing coded video data for fast playback mode | 386/68 | 386/111; 386/82 | Sakamoto; Hideki et al. |
| US 5667439 A | USPAT | 19970916 | Gaming machine | 463/20 | 273/143R | Okada; Kazuo |
| US 5603659 A | USPAT | 19970218 | Gaming machine | 463/25 | 273/121B; 463/16 | Okada; Kazuo |
| US 5519068 A | USPAT | 19960521 | Method of producing open cell rigid polyurethane foam | 521/174 | 521/117; 521/128 | Okada; Kazuo et al. |
| US 5496032 A | USPAT | 19960305 | Management method for gaming hall | 463/25 | 273/121B; 463/29; 463/42; 463/47 | Okada; Kazuo |
| US 5467856 A | USPAT | 19951121 | Gaming machine and method of detecting fraud in the same | 194/202 | 273/138.2; 273/143R; 463/25 | Okada; Kazuo |
| US 5464333 | USPAT | 19951107 | Magnet pump with | 417/420 | 417/423.12 | Okada; |

| A | | | rear thrust bearing | | | Kazuo et |
|------------|----------|----------|-----------------------|---|------------|------------|
| | | | member | | | al |
| US 5444314 | USPAT | 19950822 | Miniature motor | 310/40MM | 310/51 | Okada; |
| A | | | | | | Kazuo |
| US 5441447 | USPAT | 19950815 | Coin dispenser and | 453/32 | 377/7 | Okada; |
| A | | | coin pay-out method | | | Kazuo |
| US 5412267 | USPAT | 19950502 | Miniature motor and | 310/42 | 310/40MM; | Okada; |
| A | |] | method of making | | 310/89 | Kazuo et |
| | | | same | | | al. |
| US 5399929 | USPAT | 19950321 | Miniature motor | 310/154.18 | 310/40MM; | Okada; |
| A | | | | | 310/89; | Kazuo et |
| | | | | | 310/91 | al. |
| US 5380715 | USPAT | 19950110 | Ap.sub.4 A as a | 514/47 | 514/46; | Sekine; |
| A | | | hypotensive agent | | 536/26.21; | Akihiro et |
| | | | | | 536/26.22 | al. |
| US 5318997 | USPAT | 19940607 | Method for | 521/174 | 521/155; | Okada; |
| A | | | production of open | | 521/78 | Kazuo et |
| | | | cell rigid | | | al. |
| | | | polyurethane foam | | | |
| US 5313447 | USPAT | 19940517 | Optical head | 369/112.29 | 369/119 | Takeshita; |
| Α | | | | | | Nobuo et |
| | | | | | | al. |
| US 5271628 | USPAT | 19931221 | Crane game machine | 273/448 | 221/210 | Okada; |
| Α | | | | | | Kazuo |
| US 5231626 | USPAT | 19930727 | Wavelength selective | 369/121 | 365/119 | Tadokoro; |
| A | | | optical recording and | | | Michihiro |
| | | | reproducing method | | | et al. |
| US 5178390 | USPAT | 19930112 | Game machine | 273/143R | | Okada; |
| A | | | | | | Kazuo |
| US 5152529 | USPAT | 19921006 | Game machine | 463/20 | 273/143R | Okada; |
| A | | | | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | Kazuo |
| US 5127651 | USPAT | 19920707 | Slot machine | 273/143R | | Okada; |
| A | | | | | | Kazuo |
| US 5107409 | USPAT | 19920421 | Optical head for | 362/369 | 362/259; | Tadokoro; |
| A | | | optical information | | 362/268; | Michihiro |
| - | | | recording/reproducing | | 362/390; | et al. |
| | | | apparatus | | 369/44.14; | "" |
| | | | | | 369/44.15; | |
| | | | | | 720/651 | |
| US 5083785 | USPAT | 19920128 | Win control method | 463/21 | 273/143R; | Okada; |
| A | | ->>= | and apparatus for | | 463/25 | Kazuo |
| | | | game machines | | .03,23 | Tuesdo |
| US 5074559 | USPAT | 19911224 | Slot machine | 463/21 | 273/143R | Okada; |
| A | | | | 103/21 | 2/3/1731 | Kazuo |
| US 5051975 | USPAT | 19910924 | Optical recording | 369/44.39 | 369/292; | Tadokoro; |
| A | | 17710727 | and/or reproducing | 302/7 7 .33 | 369/44.32; | Michihiro |
| 4.1 | <u> </u> | <u> </u> | 1 and of reproducing | L | 303/44.32, | IMICHINIO |

| | | | apparatus having a temperature adjusting device | | 720/695 | et al. |
|-----------------|-------|----------|---|------------|--|----------------------------------|
| US 5031911 A | USPAT | 19910716 | Ball-shooting game machine | 273/121B | 273/124A | Okada; Kazuo |
| US 5025430 A | USPAT | 19910618 | Magneto-optic recording and reproducing apparatus including a multiple layer recording medium having a premagnetized bias layer replacing an external bias magnetic | 369/13.46 | 360/59; 369/13.45 | Takokoro; Michihiro et al. |
| US 5024439 A | USPAT | 19910618 | Slot machine | 273/143R | | Okada; Kazuo |
| US 5018737 A | USPAT | 19910528 | Slot machine | 273/143R | | Okada; Kazuo |
| US 5016232 A | USPAT | 19910514 | Magneto-optic information-carrying medium including three magnetic layers | 369/13.38 | 365/122; 369/13.53; 428/819; 428/900 | Tadokoro; Michihiro et al. |
| US 5010995 A | USPAT | 19910430 | Slot machine | 463/20 | 273/143R; 463/25 | Okada; Kazuo |
| US 5004900 A | USPAT | 19910402 | Focusing error detecting apparatus with light switching and detector sampling | 250/201.5 | 369/44.24 | Seya; Masatomo et al. |
| US 5004238 A | USPAT | 19910402 | Ball-shooting game machine | 273/121B | 273/121A; 273/122A; 273/123A; 273/124A; 273/125A | Okada; Kazuo |
| US 4995193 A | USPAT | 19910226 | Method of preventing adherence of ash to gasifier wall | 48/197R | 252/373; 48/202; 48/206; 48/DIG.2; 48/DIG.7 | Soga; Kunio et al. |
| US 4992852 A | USPAT | 19910212 | Circuit with a comb filter for causing color difference signals to coincide on each scanning line | 348/455 | | Sekizawa; Ikuhisa et al. |
| US 4965785 A | USPAT | 19901023 | Optical head including a collimator | 369/112.24 | 369/112.28; 369/44.23 | Tadokoro; Michihiro |

| | | | having lenses of different focal lengths | | | et al. |
|-----------------|-------|----------|---|-----------|--|----------------------------------|
| US 4962479 A | USPAT | 19901009 | Optical data storage system with wavelength selective laminate | 365/119 | 365/106 | Imai; Hitoshi et al. |
| US 4959732 A | USPAT | 19900925 | Still video signal playback apparatus for converting an input video signal into a noise cancelled, drop-out compensated playback signal | 386/49 | 386/114; 386/76 | Sato; Akio et al. |
| US 4956813 A | USPAT | 19900911 | Apparatus for regenerating information from records made by optical-wavelengthmultiplexing method | 365/127 | 365/120 | Seya; Masatomo et al. |
| US 4956812 A | USPAT | 19900911 | Wavelength selective optical recording and reproducing device | 365/119 | 365/106; 365/215; 369/106; 372/32 | Seya; Masatomo et al. |
| US 4947280 A | USPAT | 19900807 | Rotary magnetic reproducing apparatus with disc sensing logic | 360/137 | 360/78.04 | Okada; Kazuo et al. |
| US 4941840 A | USPAT | 19900717 | Circuit board mounting apparatus | 439/376 | 439/64 | Okada; Kazuo |
| US 4908809 A | USPAT | 19900313 | Information-carrying medium equipment for magneto-optic reading and writing | 369/13.4 | 360/131; 360/59; 365/122; 369/13.53 | Tadokoro; Michihiro et al. |
| US 4889339 A | USPAT | 19891226 | Slot machine | 463/20 | 273/143R; 463/22 | Okada; Kazuo |
| US 4881204 A | USPAT | 19891114 | Optical reading or writing apparatus | 369/44.39 | 369/292 | Tadokoro; Michihiro et al. |
| US 4876666 A | USPAT | 19891024 | Wavelength selective optical data storage system | 365/106 | 347/248; 369/100; 369/102; 369/112.03 | Imai; Hitoshi et al. |
| US 4868807 A | USPAT | 19890919 | Wavelength selective optical data storage system | 369/102 | 346/135.1; 347/248; 365/106; 365/119; | Okada; Kazuo et al. |

| | | | | | 369/121 | |
|-----------------|-------|----------|---|-----------|--|----------------------------------|
| US 4868787 A | USPAT | 19890919 | Wavelength selective optical data storage system | 365/106 | 346/135.1; 347/224; 365/119; 369/100; 369/102; 369/112.03 | Okada; Kazuo |
| US 4862442 A | USPAT | 19890829 | Focus detecting apparatus utilizing reflecting surface having variable reflectivity or transmissivity | 369/44.14 | 250/201.5 | Tadokoro; Michihiro et al. |
| US 4858032 A | USPAT | 19890815 | Device for extracting still picture frames from a moving image video signal and recording same on a magnetic recording medium | 360/91 | 360/32; 386/112; 386/121; 386/98 | Okada; Kazuo et al. |
| US 4827167 A | USPAT | 19890502 | Miniature motor | 310/89 | 174/52.1; 310/40MM; 310/42 | Mayumi; Etuo et al. |
| US 4822318 A | USPAT | 19890418 | Coin dispenser | 453/57 | 221/203; 453/32; 453/58 | Okada; Kazuo |
| US 4821863 A | USPAT | 19890418 | Token feed apparatus for slot machines | 194/344 | 194/350 | Okada; Kazuo |
| US 4819093 A | USPAT | 19890404 | Rotary magnetic recording-reproducing apparatus with disc track checking | 360/78.06 | 358/909.1; 360/75; 360/77.02 | Okada; Kazuo et al. |
| US 4773647 A | USPAT | 19880927 | Slot machine with stop switch enablement after attainment of minimum reel speed | 273/143R | | Okada; Kazuo et al. |
| US 4772023 A | USPAT | 19880920 | Slot machine | 273/143R | | Okada; Kazuo |
| US 4753625 A | USPAT | 19880628 | Coin pay-out apparatus | 453/32 | 377/7 | Okada; Kazuo |
| US 4752069 A | USPAT | 19880621 | Video game which instructs the user how to play | 463/23 | 463/7 | Okada; Kazuo |
| US 4741532 | USPAT | 19880503 | Reel drive device for | 273/143R | 464/100; | Okada; |

| A | | | slot machine | | 464/81 | Kazuo |
|------------|-------|----------|------------------------|-----------|-------------|------------|
| US 4730899 | USPAT | 19880315 | Optical signal reading | 369/100 | 250/237G; | Kime; |
| A | | | device | | 359/629; | Kenjiro et |
| | | | | | 369/112.21; | al. |
| | | | | | 369/44.14 | |
| US 4725516 | USPAT | 19880216 | Sealed lead-acid | 429/225 | 429/204; | Okada; |
| A | | | battery | | 429/247; | Kazuo et |
| | | | | | 429/60 | al. |
| US 4721307 | USPAT | 19880126 | Slot machine | 273/143R | D20/1 | Okada; |
| A | | | | | | Kazuo |
| US 4718672 | USPAT | 19880112 | Slot machine | 463/20 | 273/143R; | Okada; |
| A | | | | | 463/31 | Kazuo |
| US 4715604 | USPAT | 19871229 | Slot machine | 273/143R | | Okada; |
| A | | | | | | Kazuo |
| US 4700948 | USPAT | 19871020 | Slot machine with | 273/143R | | Okada; |
| A | | | playing card symbols | | | Kazuo |
| US 4691252 | USPAT | 19870901 | Rotary magnetic | 360/75 | 348/376; | Okada; |
| A | | | recording- | | 358/906; | Kazuo et |
| | | | reproducing apparatus | | 360/78.05 | al. |
| US 4687981 | USPAT | 19870818 | Stepping motor | 318/696 | 318/685 | Okada; |
| Α | | | | | | Kazuo |
| US 4684333 | USPAT | 19870804 | Self-priming pump | 417/420 | 137/216; | Hirakawa; |
| A | | | | | 417/199.1; | Norishige |
| | | | | | 417/299 | et al. |
| US 4679789 | USPAT | 19870714 | Video game apparatus | 463/23 | | Okada; |
| A | | | with automatic skill | | | Kazuo |
| | | | level adjustment | | | |
| US 4668555 | USPAT | 19870526 | Heat insulating body | 428/69 | 156/79; | Uekado; |
| A | | | | | 428/317.5; | Kazutaka |
| | | | | | 428/318.4; | et al. |
| | | | | | 428/71; | |
| | | | | | 428/76 | |
| US 4657256 | USPAT | 19870414 | Slot machine with | 463/21 | 273/143R | Okada; |
| A | | | win/loss biasing | | | Kazuo |
| | | | means | | | |
| US 4657247 | USPAT | 19870414 | Video game apparatus | 463/23 | | Okada; |
| Α | | | with automatically | | | Kazuo |
| | | | adjusting timing | | | |
| | | | window | | | |
| US 4625303 | USPAT | 19861125 | Automatic focusing | 369/44.23 | 369/120; | Shikama; |
| A | | | device | | 369/44.42 | Shinsuke |
| | | | | | | et al. |
| US 4573681 | USPAT | 19860304 | Slot machine with | 463/21 | 708/250 | Okada; |
| A | | | random number | | | Kazuo |
| | | | generation | | | |
| US 4556140 | USPAT | 19851203 | Method and apparatus | 194/206 | 194/303; | Okada; |

| A | | | for discriminating coins or bank notes | | 194/334; 902/7 | Kazuo |
|-----------------|-------|----------|---|-----------|---|--------------------------------|
| US 4534560 A | USPAT | 19850813 | Slot machine | 273/143R | | Okada; Kazuo |
| US 4508345 A | USPAT | 19850402 | Slot machine with player-friendly bonus game | 273/143R | | Okada; Kazuo |
| US 4502134 A | USPAT | 19850226 | Optical disc signal reproducing system with tilt immunization | 369/44.32 | 369/44.34 | Kondo; Mitsushige et al. |
| US 4492379 A | USPAT | 19850108 | Reel type slot machine | 273/143R | | Okada; Kazuo |
| US 4482987 A | USPAT | 19841113 | Optical information reproducing apparatus | 386/126 | 250/202 | Okada; Kazuo et al. |
| US 4423872 A | USPAT | 19840103 | Pinball game | 273/121A | 273/124A; 273/129S | Okada; Kazuo |
| US 4363961 A | USPAT | 19821214 | Automatic focusing apparatus | 250/201.3 | 250/201.5; 250/204; 369/122; 369/44.13 | Okada; Kazuo et al. |
| US 4305144 A | USPAT | 19811208 | Optically reproducing and tracking system for spiral information track | 369/44.41 | | Okada; Kazuo |
| US 4096245 A | USPAT | 19780620 | Prophylactic preparation for treating mink infection caused by Pseudomonas aeruginosa | 424/260.1 | | Homma; Yuzuru et al. |
| US 4083959 A | USPAT | 19780411 | Therapeutical method for treating infection of mink hemorrhagic pneumonitis | 424/260.1 | | Homma; Yuzuru et al. |
| US 3981970 A | USPAT | 19760921 | Method for the production of a zeolite material | 423/306 | 423/299; 423/305; 423/307; 423/593.1; 423/594.1; 423/600; 423/601 | Wada; Takeo et al. |
| US 3757125 A | USPAT | 19730904 | OPTICAL TRACKING APPARATUS | 250/202 | 219/124.34; 250/234 | Okada; Kazuo et al. |

| US 3698358 | USPAT | 19721017 | METHOD FOR | 119/201 | 119/214; | Wada; |
|------------|-------|----------|--------------|---------|----------|----------|
| A | | | MAINTAINING | | 426/2 | Takeo et |
| | | | FRESHNESS OF | | | al. |
| | | | AQUATIC | | | |
| | | | ANIMALS | | | |
| US 3622268 | USPAT | 19711123 | METHOD FOR | 423/24 | 423/181; | Wada; |
| Α | | | RECOVERY OF | | 423/395; | Takeo et |
| | | | METALLIC | | 423/70; | al. |
| | | | CATIONS | | 562/607 | |